



## Contents

Overview .....	2
Adding a Referral to an RTT Pathway .....	3
Outcoming an RTT Appointment once First Definitive Treatment is given .....	4
Restarting the RTT Pathway after a DNA.....	7
RTT Codes List .....	9



## Overview

Once a Referral is received by an RTT Service, they have 18 Weeks from the Date of Receipt of the Referral to provide the 1st Definitive Treatment

The definition of the 1st Definitive Treatment is Service specific

RTT consists of 2 parts: firstly, the RTT Pathway and secondly the RTT Code

**Part 1 - The RTT Pathway:** When a Referral is added to Rio the user adds the Referral to the relevant RTT Pathway. The Referral remains on the RTT Pathway until the STOP Code is used. NOTE - When the Episode of Care is complete the Referral must be Discharged

**Part 2 - The RTT Code** (Adding a Code to the RTT National Status Tab) When Outcoming an Appointment (Community or Clinic), the RTT National Status Tab MUST be completed with the relevant RTT Code e.g. 20, 30. The RTT Code depicts which stage the Client is at during the 18 Weeks.

The Trust states that it is MANDATORY for the user to complete the relevant Code (see page below – RTT Codes list) when Outcoming an Appointment (Community or Clinic). The Trust must report RTT data to the relevant official department; failure to do so may result in a substantial fine to the Trust



## Adding a Referral to an RTT Pathway

At the point of saving a Referral, you will be asked if you wish to add to an RTT Pathway

**Add to pathway**

The specialty selected currently has an RTT Pathway associated with it. Please select one of the following actions to complete the referral.

Create new RTT Pathway  
 Continue existing RTT Pathway  
 Do not add to RTT Pathway

[Cancel](#) [Proceed](#)

- Choose Create new RTT Pathway
- Click Proceed

The Add Referral to RTT pathway screen will display

Each service will have specific instructions for exactly what you need to select from the drop-down lists you will find on this screen

**Add referral to RTT pathway**

RTT Pathway: Please Select

Unique Pathway ID: 5\_SndRiO000004849428

Status: Please Select

Referring clinician: [Text Field]

Referring clinician (Code): [Text Field]

Referring treatment function code: Please Select

Referral diagnosis: [Text Area]

Referral raised reason: Please Select

Contract identifier: [Text Area]

Pathway start date: 1 April 2023

Date of decision to refer: [Date Picker]

Referring contact name: [Text Field]

Referring contact tel: [Text Field]

Referring contact e-mail: [Text Field]

[Save](#)

[Referrals](#)

Complete the mandatory fields (pink/lilac), as specified by your service

- Click Save

The Referral displays with details of RTT pathway

Specialty	Care Setting	Team	HCP Referred To	Date & time referral received	Contact	To Discharge	RTT	Waiting List(s)
DIGITAL SKILLS TRAINING	Community and Clinic	Advice & Information Team		1 Apr 2023, 09:00	N		<a href="#">Transfer</a>	



## Outcoming an RTT Appointment once First Definitive Treatment is given

The functionality of Outcoming an Appointment, be it Clinic or an HCP Diary Appointment is the same. The following example shows you how to Outcome an HCP Diary Appointment: where the Patient is on an RTT Pathway

Locate the Appointment in the Diary


- Click **To Outcome** link

The Attendance Indicator screen will display

Complete the Attendance Information Tab as normal

- Actual Duration: Enter the actual duration of the Appointment
- Seen Time: Enter the time the Patient was seen
- Actual Consultation Medium: Autofills or select as required
- Conclusion: Select as required
- Attendance Comment: Add a comment if required e.g. Left calling card
- Reasonable Adjust't Made Indicator: Leave as Please Select
- Progress Notes: Add a Progress Note as required
- Validation Status: Select as required
- Click the Activities Tab

Complete the Activities Tab as normal

- Activity: Select relevant Activities (use Ctrl+click to select multiple activities)
- HCP: Autofills or select the HCP
- Click the green Plus  icon

# Referral to Treatment (RTT) Pathway



As the Client is on an RTT Pathway the RTT National Status Tab can also be seen

- Click the RTT National Status Tab

Attendance Information	Activities	RTT National Status
Client BEGUM, Rabia (Mrs)		National Status History (Ordered by Date) 10 - 1st Activity in an RTT period (START)
		Add National Status Please Select

In the centre the National Status History displays with the RTT Code/s e.g. 10 - 1<sup>st</sup> Activity in an RTT period (START). This is the status which was added when the Client was first placed on the RTT Pathway

## Explanations of Codes:

There are a number of RTT codes to select from:

Code with **(START)** at the end are used when the Client is added to an RTT Pathway and are not used when Outcoming an Appointment

Codes with **(NO CHANGE)** at the end are used when a Client needs to remain on a Pathway e.g. Further investigations need to be done before treatment can be provided

Codes with **(STOP)** at the end are used when the Client needs to be removed from the RTT Pathway e.g. The Client has received their first Definitive Treatment, the Client did not attend their Appointment or declined the offered treatment

To add the new RTT Code complete as follows

- Click the Add National Status drop down Arrow
- Select the appropriate National Status code
- Click Save

An Information prompt will display in this example code 30 - Begin 1<sup>st</sup> Definitive Treatment (STOP) was used hence the following information prompt

**Information**

Do you want to remove BEGUM, Rabia (Mrs) from RTT Pathway ?

Yes No Cancel

# Referral to Treatment (RTT) Pathway



If an RTT code was selected with (NO CHANGE) at the end, the Client needs to remain on the RTT Pathway, so you would select **No** to this prompt

If an RTT code was selected with (STOP) at the end, the Client will need to be removed from the RTT Pathway

- Click Yes or No as required
- Click Close Outcome

You will be returned to the HCP Diary screen and the Appointment will display as Outcomed



## Restarting the RTT Pathway after a DNA

When a Client has DNA'd an appointment, the Referral maybe removed from the RTT Pathway (depending on Service processes)

You will have to re-start the RTT Pathway, and add the RTT code, if the Client calls to re-book an appointment

Search for the RTT Pathway

- Click Quick Menu
- Select Waiting Lists/RTT Pathways

The Waiting Lists/RTT Pathways screen displays

- Click RTT Pathway radio button
- Select Specialty
- Select Pathway
- Click Go

The Waiting Lists/RTT Pathways screen displays


Identify required RTT Pathway name in column

- Click green View icon 

Use Filter dropdown list if required to identify correct Client on pathway i.e. *Removed from RTT Pathway between*

- Click Actions icon 

- Click RTT Pathway Restart



**IMPORTANT** – Please check Service processes in relation to which option to use under what circumstance: RTT Pathway re-start and/or Reinstate

The RTT Pathway Restart screen displays


- Enter RTT Pathway Restart Date e.g. date Client rang to re-book appointment
- Select RTT Pathway Restart Reason from dropdown list
- Enter comment if required
- Click Save

# Referral to Treatment (RTT) Pathway



The Current RTT Pathways screen displays

- Click Actions icon 



- Select RTT Pathway Events

The Events for a RTT Pathway screen displays

<b>Waiting List</b>	
<b>RTT Pathway</b>	Hip Pain
<b>Unique Pathway ID</b>	5_SndRiO000000001481
<b>Event</b>	<b>Please Select</b>
	1st Activity in an RTT Period (START)

- Select 1st Activity in an RTT Period (Start)
- Enter Start Date as required
- Enter Comment if required
- Click Save

Current RTT Pathways screen displays

To check Client has been added to the RTT Pathway and date restarted:

- Click Client's name link (top left)
- Click CR-Referrals folder (Navigation pane)
- Click Current RTT Pathways link

Current RTT Pathways screen displays

Client will show on current RTT pathway, note start date



# Referral to Treatment (RTT) Pathway



## RTT Codes List

The following RTT codes should be used in accordance with your Patient Access Policy and the DoH Referral to Treatment Rules Suite

Code	Description	Full Description	Clock Status
10	1 <sup>st</sup> Activity in an RTT period	Initial start of Referral to Treatment period e.g. starting a new pathway under the same consultant/ re-starting of the RTT clock after a previous clock stop	Start
11	1 <sup>st</sup> Activity after Active Monitoring end	Restart of RTT clock following Watchful Wait e.g. when the patient has completed the active monitoring period	Start
12	1 <sup>st</sup> Activity following Cons/NHS AHP referral	Consultant Referral – the 1 <sup>st</sup> activity at the start of a new RTT period for a separate condition	Start
20	Subsequent activity during an RTT Period	An activity during an RTT period before definitive treatment	Ticking
21	Transfer to another Health Care Provider (IPT)	Transfer to another HCP – Subsequent activity by another Health Care Provider during an RTT period	Ticking
30	Begin 1 <sup>st</sup> Definitive Treatment	Start of 1 <sup>st</sup> definitive treatment	Stop
31	Beginning of Active Monitoring initiated by Client	Start of Active Monitoring (Watchful Wait) initiated by the patient	Stop
32	Beginning of Active Monitoring initiated by Clinician	Start of Active Monitoring (Watchful Wait) initiated by the AHP e.g. Patient medically unfit to have treatment	Stop
33	DNA 1 <sup>st</sup> Activity after initial referral only	Failure to attend (DNA) 1 <sup>st</sup> activity after initial referral – Use when a patient DNAs /'is not brought to' (New Paediatrics DNA Policy) their 1st appointment / episode of an 18 week pathway.	Stop
34	Decision not to treat by Clinician	Decision not to treat made or no further contact required e.g. Clinician decides that treatment is not required	Stop
35	Client declined treatment	Patient declined the treatment offered	Stop
36	Client died before treatment	Patient died before treatment	Stop
90	Activity Post 1 <sup>st</sup> Definitive Treatment	Definitive treatment occurred previously i.e. Appointments that a patient attends, DNA's or cancels after definitive treatment was given	N/A
91	Activity during a period of Active Monitoring	Use when active monitoring is underway and continues with this episode of care (i.e. no decision to treat has been made)	N/A

**NOTE: If you refer a patient to another service before definitive treatment, use code 21. If you receive a patient from another service where no definitive treatment was offered, you inherit the clock with their referral received date as your clock start date.**